

Pelikan Vertriebsgesellschaft mbH & Co. KG

30102 Hannover

Created: 16.04.2012, Revision 16.04.2012 Version 02. Supersedes version: 01 Page 1 / 7

SECTION 1: Identification of the substance / preparation and of the company

1.1 Product identifier

Pelikan 1381 replaces 0E360H21E in Lexmark E360

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Toner

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Pelikan Vertriebsgesellschaft mbH & Co. KG

Postfach 11 07 55

30102 Hannover / GERMANY Phone +49(0)511-6969-0

Address enquiries to Technical information

Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency phone

Company +49(0)511-6969-0 Mo-Fr 8:00-17:00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

not applicable

2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC

Hazard symbols none R-phrases none

The product does not require a hazard warning label in accordance with EC-directives.

2.2 Label elements

Labelling according to Regulation 67/548/EEC or 1999/45/EC

Hazard symbols none R-phrases none

Special labelling Safety data sheet available for professional user on request.

2.3 Other hazards

Physico-chemical hazards Accumulation of fine dust may entail the risk of a dust explosion in the presence of air (only in

circumstances of an uncontrolled release of dust from the product).

Human health dangers No particular hazards known.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.



Pelikan Vertriebsgesellschaft mbH & Co. KG 30102 Hannover

Created: 16.04.2012, Revision 16.04.2012 Version 02. Supersedes version: 01 Page 2 / 7

SECTION 3: Composition / Information on ingredients

3.1 Product-type:

The product in question is a mixture.

Range [%]	Substance
< 2	bis(3,5-di-tert-butylsalicylato-O1,O2)zinc
	CAS: 42405-40-3, EINECS/ELINCS: 403-360-0, EU-INDEX: 030-007-00-4
	GHS/CLP: Flam. Sol. 1 - H228 - Acute Tox. 4 - H302 - Aquatic Acute 1 - H400 - Aquatic Chronic 1 - H410
	EEC: N-Xn-F, R 11-22-50/53

Comment on component parts Pre-registered according REACH legislation.

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change powdered clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek for medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact In case of contact with eyes rinse thoroughly with water.

In the event of symptoms seek for medical treatment.

In the event of symptoms seek for medical treatment.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray jet.

Dry powder.
Carbon dioxide.

Foam.

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Unknown risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventillation. Avoid dust formation.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.



Pelikan Vertriebsgesellschaft mbH & Co. KG

30102 Hannover

Created: 16.04.2012, Revision 16.04.2012 Version 02. Supersedes version: 01 Page 3 / 7

6.3 Methods and material for containment and cleaning up

Take up mechanically. Avoid raising dust.

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See section 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid the formation and deposition of dust.

Provide vacuuming if dust raised.

Dust can form an explosive mixture with air (only in circumstances of an uncontrolled release

of dust from the product)

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with oxidizing agents.

Store in a dry place.

7.3 Specific end use(s)

See product use, section 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Range [%]	Substance
3 - 8	Carbon black
	CAS: 1333-86-4, EINECS/ELINCS: 215-609-9

Long-term exposure: 3,5 mg/m³

Short-term exposure (15-minute): 7 mg/m³

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Eye protection Safety glasses

Hand protection butyl rubber, > 120 min (EN 374)

The details concerned are recommendations. Please contact the glove supplier for further

information.

Skin protection not applicable

Other Avoid contact with eyes and skin.

Do not inhale dust.

Wash hands before breaks and after work.

Use barrier skin cream.

Respiratory protection Breathing apparatus in the event of high concentrations.

short term: filter apparatus, filter P1

Thermal hazards

Delimitation and monitoring of the

environmental exposition

not applicable
See section 6+7.

http://www.chemiebuero.de, Phone +49 (0)941-566-398 (-455), E-mail info@chemiebuero.de, v. 120410a



Pelikan Vertriebsgesellschaft mbH & Co. KG 30102 Hannover

Created: 16.04.2012, Revision 16.04.2012 Version 02. Supersedes version: 01 Page 4 / 7

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form powder Color black Odor characteristic **Odour threshold** not applicable pH-value not applicable pH-value [1%] not applicable Boiling point [°C] not applicable Flash point [°C] not applicable Flammability [°C] not applicable Lower explosion limit not determined Upper explosion limit not determined

Oxidizing properties no

Vapour pressure/gas pressure [kPa]not applicableDensity [g/ml]1,0-1,2Bulk density [kg/m³]not determinedSolubility in watervirtually insolublePartition coefficient [n-octanol/water]not determined

Relative vapour density determined

in air

Viscosity

Evaporation speed not applicable

Melting point [°C] ~ 100

Autoignition temperature [°C] not determined not determined not determined

9.2 Other information

none

not applicable

not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Accumulation of fine dust may entail the risk of a dust explosion in the presence of air (only in circumstances of an uncontrolled release of dust from the product).

Reactions with oxidizing agents.

10.4 Conditions to avoid

See section 7.2.

10.5 Incompatible materials

not determined

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Pelikan Vertriebsgesellschaft mbH & Co. KG 30102 Hannover

Created: 16.04.2012, Revision 16.04.2012

Version 02. Supersedes version: 01 Page 5 / 7

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LC50, inhalative, Rat: > 5,19 mg/l 4h.

LD50, oral, Rat: > 2500 mg/kg.

Serious eye damage/irritation not determined
Skin corrosion/irritation not determined
Respiratory or skin sensitisation not determined
Specific target organ toxicity — not determined

single exposure

Specific target organ toxicity —

repeated exposure

not determined

 Mutagenicity
 Ames-test: negative.

 Reproduction toxicity
 not determined

 Carcinogenicity
 not determined

General remarks

Analogous to product with a similar composition.

SECTION 12: Ecological information

12.1 Toxicity

IC50, (72h), Pseudokirchneriella subcapitata: > 100 mg/l.

12.2 Persistence and degradability

not determined

Behaviour in environment

Behaviour in sewage plant

not determined

compartments

not determined not determined

12.3 Bioaccumulative potential

Biological degradability

not determined

12.4 Mobility in soil

not determined

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification due to toxicological investigations. Analogous to product with a similar composition.



Pelikan Vertriebsgesellschaft mbH & Co. KG 30102 Hannover

Created: 16.04.2012, Revision 16.04.2012 Version 02. Supersedes version: 01 Page 6 / 7

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.

For recycling, consult manufacturer.

Waste no. (recommended) 080318

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

150102 Waste no. (recommended)

SECTION 14: Transport information

14.1 UN number

See section 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

NO DANGEROUS GOODS Inland navigation (ADN)

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See section 14.2 in accordance with UN shipping name

14.4 Packing group

See section 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See section 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under section 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach);

1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC

TRANSPORT-REGULATIONS DOT-Classification, ADR (2011); IMDG-Code (2011, 35. Amdt.); IATA-DGR (2012).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits with amendments October 2007.

CHIP 3/ CHIP 4

15.2 Chemical safety assessment

not applicable

Safety Data Sheet 1907/2006/EC - REACH (GB) Pelikan 1381 replaces 0E360H21E in Lexmark E360



Pelikan Vertriebsgesellschaft mbH & Co. KG

30102 Hannover

Created: 16.04.2012, Revision 16.04.2012 Version 02. Supersedes version: 01 Page 7 / 7

SECTION 16: Other informations

16.1 R-phrases (section 03)

R 11: Highly flammable. R 22: Harmful if swallowed.

R 50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

16.2 Hazard statements (section 03)

H228 Flammable solid. H302 Harmful if swallowed. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

16.3 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.4 Other informations

Observe employment restrictions for no

people

0.0/

VOC (1999/13/CE) 0 %

Modified positionSection 12 been added: Based on all available information not to be classified as PBT or

vPvB respectively.

Section 2 been added: Accumulation of fine dust may entail the risk of a dust explosion in the presence of air (only in circumstances of an uncontrolled release of dust from the product).

Section 2 been added: Does not contain any PBT or vPvB substances.

Section 2 been added: Further hazards were not determined with the current level of

knowledge.

Section 15 been added: TRGS 510: Lagerung von Gefahrstoffen in ortsbeweglichen Behältern

Section 15 been added: 2, gem. VwVwS vom 27.07.2005

Copyright: Chemiebüro®