



## SAFETY DATA SHEET

## 27.976: Pelikan black toner for HP LaserJet 1600 / 2600

## 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	27.976: Pelikan black toner for HP LaserJet 1600 / 2600
SUPPLIER	Pelikan Hardcopy European Logistics & Services GmbH Neue Strasse 19 D-52382 Niedertzier 2 Germany +49 (0) 2428 830 Olaf Lehmann olaf.lehmann@phpag.com
EMERGENCY TELEPHONE	+41 (0) 44 986 1111 (available only during office hours)

## 2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

For further information, please refer to section 11.

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
CARBON BLACK	215-609-9	1333-86-4	5-10%	-
METAL COMPLEX (confidential CAS Number)			1-5%	-
POLYESTER RESIN (confidential CAS Number)			60-100%	-
POLYPROPYLENE WAX (confidential CAS number)			1-5%	-
SILICA (confidential CAS number)			1-5%	-

The Full Text for all R-Phrases are Displayed in Section 16

## 4 FIRST-AID MEASURES

## GENERAL INFORMATION

When in doubt or symptoms persist, seek medical attention.

## INHALATION

General first aid, rest, warmth and fresh air. Rinse nose and mouth with water.

## INGESTION

Immediately rinse mouth and drink plenty of water (200-300 ml).

## SKIN CONTACT

Wash skin thoroughly with soap and water.

## EYE CONTACT

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart.

## 5 FIRE-FIGHTING MEASURES

## EXTINGUISHING MEDIA

Extinguish with foam, carbon dioxide, dry powder or water fog.

## SPECIAL FIRE FIGHTING PROCEDURES

Avoid breathing fire vapours. Use pressurised air mask if product is involved in a fire. Water spray should be used to cool containers.

## SPECIFIC HAZARDS

Dust may form an explosive mixture in the atmosphere. Lower explosive limit: ca 15% (in air). By fire, toxic gases may be formed (COx, NOx).

**27.976: Pelikan black toner for HP LaserJet 1600 / 2600****6 ACCIDENTAL RELEASE MEASURES****PERSONAL PRECAUTIONS**

Use protective gloves, goggles and suitable protective clothing. Do not smoke, use naked flames or other sources of ignition.

**ENVIRONMENTAL PRECAUTIONS**

Do not allow to enter drains, sewers or watercourses.

**SPILL CLEAN UP METHODS**

Avoid generation and spreading of dust. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into closed container. Wash contaminated area with water. For waste disposal, see section 13.

**7 HANDLING AND STORAGE****USAGE PRECAUTIONS**

Observe good industrial hygiene practices. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Avoid handling which leads to dust formation. Avoid inhalation of dust.

**STORAGE PRECAUTIONS**

Store in closed original container at temperatures between 0°C and 40°C. Avoid contact with oxidising agents. Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION****STD**

General dust recommended limits (UK): 10 mg/m<sup>3</sup> (8-hour TWA) total inhalable dust or 4 mg/m<sup>3</sup> (8-hour TWA) total respirable dust.

**ENGINEERING MEASURES**

Provide adequate ventilation.

**HAND PROTECTION**

Protective gloves are recommended.

**EYE PROTECTION**

Wear dust resistant safety goggles where there is danger of eye contact.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Powder, dust		
COLOUR	Black		
ODOUR	Slight odour		
SOLUBILITY	Insoluble in water		
MELTING POINT (°C)	> 100	RELATIVE DENSITY	1.0 - 1.5
BULK DENSITY	ND	VAPOUR PRESSURE	NA
pH-VALUE, DILUTED SOLUTION	NA	FLASH POINT (°C)	NA
AUTO IGNITION	ND		
TEMPERATURE (°C)			

**10 STABILITY AND REACTIVITY****STABILITY**

Stable under normal temperature conditions and recommended use.

**HAZARDOUS POLYMERISATION**

Will not polymerise.

**MATERIALS TO AVOID**

Strong oxidising substances.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

**11 TOXICOLOGICAL INFORMATION****GENERAL INFORMATION**

Mutagenicity, the induction of inheritable genetic damage (Ames Test): negative. Carcinogenicity: None.

**INHALATION**

Dust may irritate respiratory system or lungs.

**27.976: Pelikan black toner for HP LaserJet 1600 / 2600****INGESTION**

No harmful effects expected in amounts likely to be ingested by accident.

**SKIN CONTACT**

Powder may irritate skin.

**EYE CONTACT**

May cause temporary eye irritation.

**12 ECOLOGICAL INFORMATION****ECOTOXICITY**

By comparison with another product: Presents no hazard to the environment. Volatile organic compounds (VOC): 0%.

**WATER HAZARD CLASSIFICATION**

N/A

**13 DISPOSAL CONSIDERATIONS****GENERAL INFORMATION**

Waste to be treated as controlled waste. Disposal should be in accordance with local, state or national legislation.

**DISPOSAL METHODS**

Powder to be collected, sealed tightly in bags and disposed on approved landfills. Incineration by an approved method could be considered.

**WASTE CLASS**

List of Wastes (ref: Decision 2000/532/EC): 08 03 18.

**14 TRANSPORT INFORMATION****GENERAL**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

**15 REGULATORY INFORMATION****RISK PHRASES**

NC Not classified.

**SAFETY PHRASES**

NC Not classified.

**UK REGULATORY REFERENCES**

Health and Safety at Work Act 1974.

**ENVIRONMENTAL LISTING**

Environmental Protection Act 1990. Pollution Prevention and Control Act 1999.

**EU DIRECTIVES**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

**STATUTORY INSTRUMENTS**

Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.

**APPROVED CODE OF PRACTICE**

Safety Data Sheets for Substances and Preparations.

**GUIDANCE NOTES**

Classification and Labelling of Substances and Preparations Dangerous for Supply.

**NATIONAL REGULATIONS**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689. Workplace Exposure Limits EH40. Hazardous Waste Regulations 2005. List of Wastes Regulations 2005. The Solvent Emissions Regulations 2004.

**16 OTHER INFORMATION****GENERAL INFORMATION**

NA = not applicable. NC = not classified. ND = no data. TWA = time-weighted average. Not classified as hazardous for users. This Safety Data Sheet satisfies the requirements of the REACH Regulation (EC): No 1907/2006, as corrected. Article 31. All brand names and trademarks are the property of their respective holders and are used here for descriptive purposes only.

REVISION DATE: D / 30.07.09

**27.976: Pelikan black toner for HP LaserJet 1600 / 2600**

REVISION COMMENTS

Changes to Section(s): 1 2 3 4 5 6 7 9 10 11 12 15 16

REVISION DATE D / 30.07.09

SDS NO. 27.976

RISK PHRASES IN FULL

NC Not classified.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.