

Trade name: Pelikan Sealing wax**Current version :** 3.0.0, issued: 10.08.2015**Replaced version:** 2.0.0, issued: 19.09.2014**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****Pelikan Sealing wax****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

seal

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Pelikan Vertriebsgesellschaft mbH & Co. KG

Postfach 11 07 55

30102 Hannover

GERMANY

Telephone no. +49 (0) 511 69 69 - 0

Information provided by / telephone

Product Safety 030-4393-0 (8:30 to 16:30)

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

Giftnotruf Berlin +49 (0) 30 30 686 - 790 (24h)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Skin Sens. 1; H317

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS07

Signal word

Warning

Hazardous component(s) to be indicated on label:

Colophony

Oil of turpentine

Hazard statements

H317

May cause an allergic skin reaction.

Hazard statements (EU)

EUH208

Contains maleic-anhydride. May produce an allergic reaction.

Precautionary statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P501

Dispose of contents/container to hazardous or special waste collection point.

Trade name: Pelikan Sealing wax

Current version : 3.0.0, issued: 10.08.2015

Replaced version: 2.0.0, issued: 19.09.2014

Region: GB

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Sealing wax formulation

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	Colophony			
	8050-09-7 232-475-7 650-015-00-7 -	Skin Sens. 1; H317	35.00 - 40.00	%-b.w.
2	Oil of turpentine			
	8006-64-2 232-350-7 650-002-00-6 -	Acute Tox. 4*; H302 Acute Tox. 4*; H312 Acute Tox. 4*; H332 Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Eye Irrit. 2; H319 Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317	1.50 - 2.00	%-b.w.
3	maleic-anhydride			
	108-31-6 203-571-6 607-096-00-9 -	Acute Tox. 4*; H302 Resp. Sens. 1; H334 Skin Corr. 1B; H314 Skin Sens. 1; H317	0.10 - 0.50	%-b.w.
4	CALCIUM SULFATE DIHYDRATE			
	10101-41-4 - - -	-	30.00 - 35.00	%-b.w.
5	barium sulfate, natural			
	7727-43-7 231-784-4 - -	-	10.00 - 15.00	%-b.w.
6	Limestone			
	1317-65-3 215-279-6 - -	-	5.00 - 10.00	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*, **, ***, ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Ensure supply of fresh air.

After skin contact

Wash off with soap and water. After contact with molten product, cool quickly with cold water. Do not pull solidified product from skin.

Trade name: Pelikan Sealing wax

Current version : 3.0.0, issued: 10.08.2015

Replaced version: 2.0.0, issued: 19.09.2014

Region: GB

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse out mouth and let spit out liquid. Give plenty of water to drink. Do not induce vomiting. Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder; Foam; Carbon dioxide

Unsuitable extinguishing media

No data available.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No data available. Personal protective equipment (PPE) - see Section 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not allow to enter drains or waterways. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up mechanically. Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

General protective and hygiene measures

Avoid contact with eyes and skin. Avoid contact of molten material with skin.

Advice on protection against fire and explosion

Keep away from sources of ignition - refrain from smoking.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep dry in a cool, well-ventilated place.

Recommended storage temperature

Value < 38 °C

Requirements for storage rooms and vessels

Keep the product in the original packing.

Advice on storage assembly

Do not store together with foodstuffs. Do not store together with oxidizing agents.

7.3 Specific end use(s)

No data available.

Trade name: Pelikan Sealing wax

Current version : 3.0.0, issued: 10.08.2015

Replaced version: 2.0.0, issued: 19.09.2014

Region: GB

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.	
1	CALCIUM SULFATE DIHYDRATE	10101-41-4		
	List of approved workplace exposure limits (WELs) / EH40			
	Gypsum			
	total inhalable dust			
	TWA	10	mg/m ³	
	List of approved workplace exposure limits (WELs) / EH40			
	Gypsum			
	respirable dust			
	TWA	4	mg/m ³	
2	barium sulfate, natural	7727-43-7	231-784-4	
	List of approved workplace exposure limits (WELs) / EH40			
	Barium sulphate			
	respirable dust			
	TWA	4	mg/m ³	
	List of approved workplace exposure limits (WELs) / EH40			
	Barium sulphate			
	total inhalable dust			
	TWA	10	mg/m ³	
3	Limestone	1317-65-3	215-279-6	
	List of approved workplace exposure limits (WELs) / EH40			
	Calcium carbonate			
	total inhalable dust			
	TWA	10	mg/m ³	
	List of approved workplace exposure limits (WELs) / EH40			
	Calcium carbonate			
	respirable dust			
	TWA	4	mg/m ³	
4	Oil of turpentine	8006-64-2	232-350-7	
	List of approved workplace exposure limits (WELs) / EH40			
	Turpentine			
	STEL	850	mg/m ³	150 ml/m ³
	TWA	566	mg/m ³	100 ml/m ³

8.2 Exposure controls

Appropriate engineering controls
No data available.

Personal protective equipment

Respiratory protection
No special measures required.

Eye / face protection
No special measures required.

Hand protection
No special measures required.

Environmental exposure controls
No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour
solid
red

Trade name: Pelikan Sealing wax

Current version : 3.0.0, issued: 10.08.2015

Replaced version: 2.0.0, issued: 19.09.2014

Region: GB

Odour	
No data available	
Odour threshold	
No data available	
pH value	
No data available	
Boiling point / boiling range	
No data available	
Melting point / melting range	
Value	82 - 102 °C
Decomposition point / decomposition range	
No data available	
Flash point	
No data available	
Auto-ignition temperature	
No data available	
Oxidising properties	
No data available	
Explosive properties	
No data available	
Flammability (solid, gas)	
No data available	
Lower flammability or explosive limits	
No data available	
Upper flammability or explosive limits	
No data available	
Vapour pressure	
No data available	
Vapour density	
No data available	
Evaporation rate	
No data available	
Relative density	
No data available	
Density	
No data available	
Solubility in water	
Remarks	immiscible
Solubility(ies)	
No data available	
Partition coefficient: n-octanol/water	
No data available	
Viscosity	
No data available	

9.2 Other information

Other information
No data available.

Trade name: Pelikan Sealing wax

Current version : 3.0.0, issued: 10.08.2015

Replaced version: 2.0.0, issued: 19.09.2014

Region: GB

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

None, if handled according to order.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Pelikan Sealing wax
Remarks	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity	
No data available	

Acute dermal toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Pelikan Sealing wax
Remarks	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg).

Acute dermal toxicity	
No data available	

Acute inhalational toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Pelikan Sealing wax
Remarks	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).

Trade name: Pelikan Sealing wax

Current version : 3.0.0, issued: 10.08.2015

Replaced version: 2.0.0, issued: 19.09.2014

Region: GB

Acute inhalational toxicity
No data available
Skin corrosion/irritation
No data available
Serious eye damage/irritation
No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Reproduction toxicity
No data available
Carcinogenicity
No data available
STOT-single exposure
No data available
STOT-repeated exposure
No data available
Aspiration hazard
No data available

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available
Toxicity to fish (chronic)
No data available
Toxicity to Daphnia (acute)
No data available
Toxicity to Daphnia (chronic)
No data available
Toxicity to algae (acute)
No data available
Toxicity to algae (chronic)
No data available
Bacteria toxicity
No data available

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	Colophony	8050-09-7	232-475-7
	Value	64	%
	Duration	28	day(s)
	Method	OECD 301 B	
	Evaluation	readily biodegradable	

Trade name: Pelikan Sealing wax

Current version : 3.0.0, issued: 10.08.2015

Replaced version: 2.0.0, issued: 19.09.2014

Region: GB

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.
Smaller quantities can be disposed with household garbage.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Trade name: Pelikan Sealing wax

Current version : 3.0.0, issued: 10.08.2015

Replaced version: 2.0.0, issued: 19.09.2014

Region: GB

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Directive 1999/13/EC on the limitation of emissions of volatile organic compounds due to the use of organic solvents (VOC Directive)

VOC content	0	%
-------------	---	---

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information**Further information**

Not suitable for children under 3 years.

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Department issuing safety data sheet

UMCO Umwelt Consult GmbH

Georg-Wilhelm-Str. 183 , D-21107 Hamburg

Tel.: +49 40 / 79 02 36 300 Fax: +49 40 / 79 02 36 357 e-mail: umco@umco.de

This information is based on our present state of knowledge and experience.

The security data sheet describes products with a view to the security requirements.

However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO Umwelt Consult GmbH.