

**SAFETY DATA SHEET****27.985: Pelikan black / cyan / magenta / yellow toners for HP Laserjet 2500/4600****1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

PRODUCT NAME 27.985: Pelikan black / cyan / magenta / yellow toners for HP Laserjet 2500/4600

SUPPLIER Pelikan Hardcopy European
Logistics & Services GmbH
Neue Strasse 19
D-52382 Niederzier 2
Germany
+49 (0) 2428 830
Olaf Lehmann
olaf.lehmann@phpag.com

EMERGENCY TELEPHONE +41 (0) 44 986 1111 (available only during office hours)

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

HUMAN HEALTH

May irritate eyes.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
AMORPHOUS SILICA (confidential CAS number)			1-5%	-
CARBON BLACK (black toner only)	215-609-9	1333-86-4	1-5%	-
METAL COMPLEX			1-5%	N;R50/53.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES**GENERAL INFORMATION**

When in doubt or symptoms persist, seek medical attention.

INHALATION

General first aid, rest, warmth and fresh air.

INGESTION

Immediately rinse mouth and drink plenty of water (200-300 ml). Do not induce vomiting.

SKIN CONTACT

Remove contaminated clothing. Wash skin thoroughly with soap and water.

EYE CONTACT

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention immediately. Continue to rinse.

5 FIRE-FIGHTING MEASURES**EXTINGUISHING MEDIA**

Fire can be extinguished using: Carbon dioxide (CO₂). Water spray, fog or mist. Foam. Powder.

SPECIAL FIRE FIGHTING PROCEDURES

Avoid breathing fire vapours.

SPECIFIC HAZARDS

Take precautionary measures against static discharges. Dust may form an explosive mixture in the atmosphere. By fire, toxic gases may be formed (CO_x, NO_x).

PROTECTIVE MEASURES IN FIRE

Use air-supplied respirator, gloves and protective goggles.

27.985: Pelikan black / cyan / magenta / yellow toners for HP Laserjet 2500/4600**6 ACCIDENTAL RELEASE MEASURES****PERSONAL PRECAUTIONS**

Use protective gloves, goggles and suitable protective clothing. Do not smoke, use naked flames or other sources of ignition.

ENVIRONMENTAL PRECAUTIONS

Do not allow to enter drains, sewers or watercourses.

SPILL CLEAN UP METHODS

Avoid generation and spreading of dust. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into closed container. Wash contaminated area with water. Should be prevented from entering drains. For waste disposal, see section 13.

7 HANDLING AND STORAGE**USAGE PRECAUTIONS**

Static electricity and formation of sparks must be prevented. Keep away from heat, sparks and open flame. Observe good industrial hygiene practices. Do not eat, drink or smoke when using the product. Avoid handling which leads to dust formation. Avoid inhalation of dust and contact with skin and eyes.

STORAGE PRECAUTIONS

Store in closed original container at temperatures between 0°C and 40°C. Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
AMORPHOUS SILICA (confidential CAS number)	WEL		6.0 mg/m ³ total dust		2.4 mg/m ³ resp.dust	
CARBON BLACK (black toner only)	WEL		3.5 mg/m ³		7.0 mg/m ³	

WEL = Workplace Exposure Limit.

ENGINEERING MEASURES

Provide adequate ventilation.

HAND PROTECTION

Protective gloves are recommended.

EYE PROTECTION

Wear dust resistant safety goggles where there is danger of eye contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Powder, dust		
COLOUR	Black Blue Red Yellow		
ODOUR	No characteristic odour.		
SOLUBILITY	Insoluble in water		
MELTING POINT (°C)	120	RELATIVE DENSITY	ND
VAPOUR PRESSURE	NA	pH-VALUE, CONC. SOLUTION	NA
AUTO IGNITION	ND		
TEMPERATURE (°C)			

10 STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions and recommended use. Stable at least up to ca 180 °C

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

11 TOXICOLOGICAL INFORMATION**GENERAL INFORMATION**

Knowledge about health hazard is incomplete. Risk of long-term effects is expected to be minimal from occupational exposure.

INHALATION

Dust may irritate respiratory system or lungs.

27.985: Pelikan black / cyan / magenta / yellow toners for HP Laserjet 2500/4600**INGESTION**

No harmful effects expected in amounts likely to be ingested by accident.

SKIN CONTACT

Skin irritation is not anticipated when used normally.

EYE CONTACT

May irritate eyes.

12 ECOLOGICAL INFORMATION**ECOTOXICITY**

By comparison with another product: Presents no hazard to the environment. Volatile organic compounds (VOC): 0%.

MOBILITY

The product is insoluble in water.

BIOACCUMULATION

No data available on bioaccumulation.

DEGRADABILITY

There are no data on the degradability of this product.

WATER HAZARD CLASSIFICATION

WGK 2 (Medium hazard)(Self-classification).

13 DISPOSAL CONSIDERATIONS**GENERAL INFORMATION**

Waste to be treated as controlled waste. Disposal should be in accordance with local, state or national legislation.

DISPOSAL METHODS

Powder to be collected, sealed tightly in bags and disposed on approved landfills. Incineration by an approved method could be considered.

WASTE CLASS

List of Wastes (ref: Decision 2000/532/EC): 08 03 18.

14 TRANSPORT INFORMATION**GENERAL**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

15 REGULATORY INFORMATION**RISK PHRASES**

NC

Not classified.

SAFETY PHRASES

P13

Safety data sheet available for professional user on request.

UK REGULATORY REFERENCES

Health and Safety at Work Act 1974.

ENVIRONMENTAL LISTING

Environmental Protection Act 1990. Pollution Prevention and Control Act 1999.

EU DIRECTIVES

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.

APPROVED CODE OF PRACTICE

Safety Data Sheets for Substances and Preparations.

GUIDANCE NOTES

Classification and Labelling of Substances and Preparations Dangerous for Supply.

27.985: Pelikan black / cyan / magenta / yellow toners for HP Laserjet 2500/4600

NATIONAL REGULATIONS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689. Workplace Exposure Limits EH40. Hazardous Waste Regulations 2005. List of Wastes Regulations 2005. The Solvent Emissions Regulations 2004.

16 OTHER INFORMATION

GENERAL INFORMATION

NA = not applicable. NC = not classified. ND = no data. TWA = time-weighted average. Not classified as hazardous for users. This Safety Data Sheet satisfies the requirements of the REACH Regulation (EC): No 1907/2006, as corrected. Article 31. All brand names and trademarks are the property of their respective holders and are used here for descriptive purposes only.

REVISION COMMENTS

Changes to Section(s): 15 16

REVISION DATE E / 27.08.09

SDS NO. 27.985

RISK PHRASES IN FULL

NC Not classified.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.