

IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND THE COMPANY / UNDERTAKING

DISTRIBUTOR: Pelikan Hardcopy European Logistics & Services GmbH
Neue Strasse 19
D-52382 Niederzier 2 Germany
Telephone: +49 (0) 2428 830

ADMIN/TECH CENTRE: Pelikan Hardcopy (International) AG
Gewerbstrasse 9
CH-8132 Egg/ZH Switzerland
Telephone: +41 (0) 1 986 1111



Emergency Telephone: +41 (0) 1 986 1111

SAFETY DATA SHEET

PRODUCT: Pelikan cleaner for: Siemens PT 80/88 (0271)

2 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS No.	EC No.	Weight %	Symbols	R-Phrases
Diethylene glycol	111-46-6	203-872-2	30-35	Xn	22
1-methoxy-2-propanol	107-98-2	203-539-1	60-70	-	10

3 HAZARDS IDENTIFICATION

###

- Flammable
- Harmful if swallowed
- Can be absorbed through skin
- See Section 4 & 16.1 for ingredient R-Phrases

4 FIRST-AID MEASURES**CONTACT WITH SKIN**

- Wash affected area with plenty of soap and water
- Seek medical advice

CONTACT WITH EYES

- If substance has got into eyes, immediately wash out with plenty of water
- Seek medical advice

INGESTION

- Give water or milk to drink
- If swallowed, seek medical advice immediately and show this container or label (S46)

INHALATION

- Remove patient to fresh air
- Keep warm and at rest

OTHER INFORMATION

- See Section 11 - Toxicological Information

5 FIRE-FIGHTING MEASURES

- In case of fire use water, carbon dioxide or dry agent (S43)
- Do not use water jets
- In case of fire, do not breathe fumes
- Toxic and irritant fumes may be formed

6 ACCIDENTAL RELEASE MEASURES

- Shut off all ignition sources
 - Do not allow to enter public sewers and watercourses
 - Ventilate area
 - Absorb spillage in suitable inert material
 - See Section 13
-

7 HANDLING AND STORAGE**7.1 HANDLING**

- Keep away from heat and sources of ignition
 - Avoid contact with combustible material
 - Avoid contact with skin
 - The usual precautions for handling chemicals should be observed
-

7.2 STORAGE

- Keep in a cool, dry, well ventilated place
-

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION**8.1 GENERAL**

- Wear nitrile gloves
 - Use good personal hygiene practices
-

8.2 EXPOSURE LIMITS

- | | |
|----------------------------|---|
| • Diethylene glycol | Constituent Exposure Limit:
OES / LTEL 23 ppm 101 mg/m3
OES / STEL --- ppm --- mg/m3
(Germany) MAK 10 ppm 44 mg/m3 |
| ### • 1-methoxy-2-propanol | OES / LTEL 100 ppm 375 mg/m3
OES / STEL 150 ppm 560 mg/m3
(Germany) MAK 100 ppm 370 mg/m3
Can be absorbed through the skin |
-

9 PHYSICAL AND CHEMICAL PROPERTIES

- Liquid, colourless, miscible with water
 - Perceptible odour
 - May form explosive mixtures with air
 - Combustible
 - Boiling point ND deg C
 - Flash point ca 35 deg C (CC)
 - pH 6.9
 - Density 0.979 g/cm3 at 25 deg C
 - Vapour pressure ca 10.3 mbar
-

10 STABILITY AND REACTIVITY

- Keep away from heat
 - Keep away from strong oxidizing substances
 - Decomposition products may include nitrogen and carbon oxides
-

11 TOXICOLOGICAL INFORMATION

- Vapours or aerosols may cause irritation of eyes, nose and respiratory tract
 - Can be absorbed through skin
 - Harmful if swallowed (R22)
 - May cause gastrointestinal disturbances
-

12 ECOLOGICAL INFORMATION

- Water Hazard Class 1 (Company)
-

13 DISPOSAL CONSIDERATIONS

- Disposal should be in accordance with local, state or national legislation
 - This material and its container must be disposed of as hazardous waste (S60)
 - Disposal can be a hazardous operation, seek specialist advice
-

14 TRANSPORT INFORMATION**14.1 REGULATIONS**

- Proper Shipping Name: Printing Ink

UN					
###	UN No	:	1210	Hazard Class	: 3
	Packing Group	:	III		
Road / Rail (ADR / RID)					
###	ADR UN No	:	1210	ADR Hazard Class	: 3
	ADR Item No	:	5(c)	ADR/RID No	: HZ30
	Tremcard	:	ND		
Sea (IMDG)					
###	IMDG UN No	:	1210	IMDG Hazard Class	: 3
	IMDG Page No	:	3272-1	IMDG Pack. Group	: III
	IMDG EmS	:	-	IMDG MFAG	: -
Air (ICAO / IATA)					
###	ICAO UN No	:	1210	ICAO Hazard Class	: 3
	ICAO Packing Group	:	III		


14.2 GENERAL

- Transport Regulations apply as indicated in previous section
-

15 REGULATORY INFORMATION

###

- This product is covered by Dangerous Preparations Directive (1999/45/EC) as amended
- Refer to current CHIP Regulations
- Refer to current Gefährliche Stoffe Verordnung
- Refer to current VbF
- This Safety Data Sheet is provided in compliance with the Safety Data Sheets Directive (91/155/EC)

SYMBOL(S)

HARMFUL

15.1 RISK PHRASES

- Flammable (R10)
- Harmful if swallowed (R22)

15.2 SAFETY PHRASES

- Avoid contact with skin (S24)
- If swallowed, seek medical advice immediately and show this container or label (S46)
- This material and its container must be disposed of as hazardous waste (S60)

16 OTHER INFORMATION**16.1 INGREDIENT R-PHRASES**

###

- R10: Flammable
- R22: Harmful if swallowed

-
- 16.2**
- The precise composition of this product is proprietary information. More details will be supplied in confidence to qualified medical personnel if specific treatment is necessary.
 - This product conforms to all known European chemicals safety legislation.
 - Water Hazard Class: 1 = slight, 2 = medium, 3 = severe hazard.
 - NA = not applicable; NC = not classified; ND = no data; TWA = time-weighted average.
 - LTEL = 8hr TWA; STEL = 15min TWA; ppm = parts per million.
 - ### = changes to section since last revision.
 - The above information relates only to the safety of the product designated, based on our current state of knowledge. No responsibility is accepted for any errors or omissions.
-