

**IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND THE COMPANY / UNDERTAKING**

DISTRIBUTOR: Pelikan Hardcopy European Logistics & Services GmbH  
Neue Strasse 19  
D-52382 Niederzier 2 Germany  
Telephone: +49 (0) 2428 830

ADMIN/TECH CENTRE: Pelikan Hardcopy (International) AG  
Gewerbstrasse 9  
CH-8132 Egg/ZH Switzerland  
Telephone: +41 (0) 1 986 1111



Emergency Telephone: +41 (0) 1 986 1111

**SAFETY DATA SHEET**

PRODUCT: ### Pelikan ink for stamp / franking: red fluorescent (0840)

**2 COMPOSITION / INFORMATION ON INGREDIENTS**

Ingredients	CAS No.	EC No.	Weight %	Symbols	R-Phrases
NA					

**3 HAZARDS IDENTIFICATION**

- No hazard expected under normal conditions of use

**4 FIRST-AID MEASURES**

CONTACT WITH SKIN

- Wash affected area with plenty of soap and water

CONTACT WITH EYES

- If substance has got into eyes, immediately wash out with plenty of water

INGESTION

- Give water or milk to drink
- Seek medical advice

INHALATION

- ###
- Seek medical attention if ill effects occur

OTHER INFORMATION

- Possible irritation of affected areas
- When in doubt or symptoms persist, seek medical attention

**5 FIRE-FIGHTING MEASURES**

- Not flammable but will support combustion
- In case of fire use foam, carbon dioxide or dry agent (S43)
- In case of fire use water fog (S43)
- Do not use water jets
- In case of fire, do not breathe fumes
- Toxic and irritant fumes may be formed

---

**6 ACCIDENTAL RELEASE MEASURES**

- Wear protective clothing as per section 8
- Absorb spillage in suitable inert material
- Remove contaminated material to safe location for subsequent disposal
- Wash spill site with water and detergent
- See Section 13

---

**7 HANDLING AND STORAGE****7.1 HANDLING**

- The usual precautions for handling chemicals should be observed

**7.2 STORAGE**

- Keep in a cool, dry place

---

**8 EXPOSURE CONTROLS AND PERSONAL PROTECTION****8.1 GENERAL**

###

- Wear suitable protective clothing, including eye/face protection and gloves (nitrile are recommended)
- Use good personal hygiene practices

**8.2 EXPOSURE LIMITS**

###

- OES / LTEL --- ppm 5 (mist) mg/m3

---

**9 PHYSICAL AND CHEMICAL PROPERTIES**

- Liquid, red, viscous, immiscible with water
- Perceptible odour
- Boiling point - not known
- Flash point - not applicable
- pH - not known
- Density ca 1.00 g/cm3
- Vapour pressure - not known
- Fat solubility - not known
- Partition coefficient : n-Octanol/water - not known

---

**10 STABILITY AND REACTIVITY**

- Keep away from heat
- Keep away from strong oxidizing substances
- Decomposition products may include nitrogen and carbon oxides

---

**11 TOXICOLOGICAL INFORMATION**

- No experimental data available

---

**12 ECOLOGICAL INFORMATION**

- Water Hazard Class 1 (Company)

---

**13 DISPOSAL CONSIDERATIONS**

###

- Disposal should be in accordance with local, state or national legislation
- Do not discharge into drains or the environment, dispose to an authorised waste collection point
- Disposal can be a hazardous operation, seek specialist advice

---

**14 TRANSPORT INFORMATION****14.1 REGULATIONS**

- Proper Shipping Name: NA

---

**14.2 GENERAL**

- Not classified as hazardous for transport
- 

**15 REGULATORY INFORMATION**

###

- Not hazardous according to current CHIP Regulations
  - Not hazardous according to current Gefährliche Stoffe Verordnung
  - Not classified as hazardous for users
  - The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents
- 

**15.1 RISK PHRASES**

- None assigned
- 

**15.2 SAFETY PHRASES**

- None assigned
- 

**16 OTHER INFORMATION**

- The precise composition of this product is proprietary information. More details will be supplied in confidence to qualified medical personnel if specific treatment is necessary.
  - This product conforms to all known European chemicals safety legislation.
  - Water Hazard Class: 1 = slight, 2 = medium, 3 = severe hazard.
  - NA = not applicable; NC = not classified; ND = no data; TWA = time-weighted average.
  - LTEL = 8hr TWA; STEL = 15min TWA; ppm = parts per million.
  - ### = changes to section since last revision.
  - The above information relates only to the safety of the product designated, based on our current state of knowledge. No responsibility is accepted for any errors or omissions.
-